

GENERAL CATALOGUE



GENERAL INDEX



ENCODERS AND REMOTE CONTROLS

5



BATTERIES AND KEY FOBBS

25



MAGNETIC AND PROXIMITY KEY DUPLICATORS

31



KEY DUPLICATING MACHINES

37



LOCKSMITHERY

45



SAFES, SAFES, SAFES AND KEY BOXES

67



DOOR LOCKERS

73



SECURITY DEVICES FOR DOORS

79



ELECTRIC STRIKES

93



ELECTRIC LOCKS

121



ELECTRONICS

127



AUTOMATICS

145



AUTOMOTIVE - KEYS AND CONTROLS FOR VEHICLES

169



GENERAL CONDITIONS OF SALE

175



ENCODERS AND REMOTE CONTROLS

- REMOTE DUPLICATOR WITH FIXED AND EVOLVING CODES HCD900-Q.....6
- REMOCON REMOTE CONTROL RMC265CHML.....8
- REMOCON REMOTE CONTROL RMC265CM9
- PROGRAMMABLE REMOTES10
- AUTOCOPYING CONTROLS11
- ACCESSORIES11
- REMOCON TRINARY FIXED CODE CONTROL12
- ORIGINAL CONTROLS12

NEW DUPLICATOR

Fixed Code - Rolling Code

HCD-LITE

Compatible with the existing range of Remocon remote controls



Portable, with built-in rechargeable lithium battery

Easy handling even for inexperienced users

Express Copies.
Duplicates are made in less than 2 minutes

Internal memory to store receiver readings

Memory management

Serial copies

Unification of commands

Reduplication of emitters
Remocon and **Autoactivation**
Smart copies

Frequency identification, including low frequencies (quartz)

Free updates

Automatic detection of fixed code / rolling code

Support on Windows
Autonomous operation via Remocon HCD software





**REMO
CON
TRANSMITTER
RMC265CHML**
The most complete

Ref.	Family	SubFamily
RMC265CHML	001	001200

Multi-Code

Duplicates fixed code (binary, trinary, multi-frequency, etc.) and rolling code.

Multi-Frequency

Wide variety of frequencies, including 433.42 MHz, 433.92 MHz, 868.35 MHz, etc...

Bi-Modulation

Valid for AM and FM.

Ease of programming

Programming by duplicator (HCD900 or HCD900-Q) or by proximity (no machine required).

Automatic frequency regulation system

The frequency is set automatically during programming. However, it allows the frequency to be modified digitally (without trimmer).

Maximum versatility

Allows to unify controls from different manufacturers, codes and frequencies.

Intelligent self-activation system

Automatic registration process in some evolutionary systems.

NEW REMOCON TRANSMITTERS

All the fixed code in a single command



RMC265CM



RMC165CM

Ref.	Family	SubFamily
RMC265CM	001	001200
RMC165CM		
RMC165CM		

Fixed code

Duplicates fixed code (binary, trinary, multi-frequency, etc.).

Multi-Frequency

Wide variety of frequencies, including 433.42 MHz, 433.92 MHz, etc...

Ease of programming Programming via duplicator (HCD900 or HCD900-Q).

Maximum versatility

Allows unify controls from different manufacturers, codes and frequencies.

Automatic frequency regulation system The frequency is set automatically during programming. However, the frequency can be changed digitally (without trimmer).

PROGRAMMABLE REMOTES



Ref.	Family	SubFamily
RMC166HSII	001	001203

10-channel transmitter, **evolutionary (Rolling Code)**.
Frequency 433.92 MHz.
Supports unification of 10 remotes of the same frequency. Programming by HCD900 or HCD900-Q.



Ref.	Family	SubFamily
RMC225HS	001	001203

10-channel transmitter, **evolutionary (Rolling Code)**.
Frequency 433.92 MHz.
Supports unification of 10 remotes of the same frequency. Programming by HCD900 or HCD900-Q.



Ref.	Family	SubFamily
RMC225HS868	001	001204

10-channel transmitter, **evolutionary (Rolling Code)**.
Frequency 868.35 MHz.
Supports unification of 10 commands of the same frequency. Programming by means of HCD900 or HCD900-Q.

REMOTE CONTROLS AUTOCOPYING



Ref.	Family	SubFamily
RMC610	001	001205

4-channel transmitter, fixed frequency at 433.92 MHz.
Autoprogramming. **Fixed code.**
Supports unification of 4 433.92 MHz controls.



Ref.	Family	SubFamily
RMC168SL	001	001205

Transmitter 4 channels one fixed frequency at 433.92 MHz.
Autoprogramming. **Fixed code.**
Supports unification of 4 433.92 MHz controls.



Ref.	Family	SubFamily
RMC680CH	001	001206

2-channel quartz transmitter, with socket for inserting quartz crystal. **Fixed and Rolling Code.**
Allows unification of 2 single-channel controls of the same quartz.



QUARTZ CRYSTALS

Q26.975	Q26.985	Q26.995
Q27.015	Q27.090	Q27.095
Q27.195	Q29.580	Q29.685
Q29.700	Q29.800	Q29.875
Q29.900	Q29.910	Q29.990
Q29.995	Q30.035	Q30.065
Q30.155	Q30.275	Q30.545
Q30.875	Q30.900	Q33.100
Q33.900	Q40.665	Q40.680
Q40.685		

ACCESSORIES



Ref.	Family	SubFamily
DTP	001	001110

Ceramic screwdriver for trimmer adjustment.



**BATTERIES AND
KEY RINGS**

KEY RINGS AND RINGS26
ALKALINE BATTERIES.....27
LITHIUM BATTERIES28
PAIRDEER BATTERIES.....29

KEY RINGS AND RINGS



Ref.	Family	SubFamily
PTQS	003	003191

Label holder 8 assorted colors.

**Supplied in boxes of 200 und.*

PTQA	003	003191
------	-----	--------

Blue label holder.

**Supplied in bags of 100 und.*

PTQAM	003	003191
-------	-----	--------

Yellow label holder.

**Supplied in bags of 100 und.*

PTQR	003	003191
------	-----	--------

Label holder red color.

**Supplied in bags of 100 und.*

PTQV	003	003191
------	-----	--------

Green label holder.

**Supplied in bags of 100 und.*

Ref.	Family	SubFamily
AN16	003	003191

Nickel-plated steel ring of 16 mm diameter. Nickel-

AN18	003	003191
------	-----	--------

plated steel ring 18 mm diameter.

AN20	003	003191
------	-----	--------

Nickel-plated steel ring 20 mm diameter.

AN25	003	003191
------	-----	--------

Nickel plated steel ring 25 mm diameter. Nickel-plated

AN30	003	003191
------	-----	--------

steel ring 30 mm diameter. Nickel-plated steel ring 35

AN35	003	003191
------	-----	--------

mm diameter.

** Supplied in bags of 200 pcs. per part no.*

Ref.	Family	SubFamily
KEYRING	003	003191

Rubber ring for key head, 8 assorted colors.

**Supplied in boxes of 200 und.*



Ref.	Family	SubFamily
UK23A	003	003111

12 V alkaline battery (remote control), in bulk.

** Supplied in boxes of 50 units.*



Ref.	Family	SubFamily
UK23AB	003	003111

12 V alkaline battery (remote control), in blister pack.

UK27AB	003	003111
--------	-----	--------

12 V narrow alkaline battery (remote control), in blister pack.

** Supplied in blister of 5 units*



Ref.	Family	SubFamily
UK10AB	003	003112

9 V alkaline battery in blister pack.

UK11AB	003	003112
--------	-----	--------

6 V alkaline battery in blister pack.

** Supplied in blister packs of 5 units.*



Ref.	Family	SubFamily
UKLR44B	003	003145

1.5 V alkaline button cell in blister pack.

** Supplied in blister pack of 10 units.*

LITHIUM BATTERIES



Ref.	Family	SubFamily
UKCR1216B	003	003154

Lithium battery 3 V CR1216.

UKCR1220B	003	003154
-----------	-----	--------

Lithium battery 3 V CR1220.

** Supplied in blister packs of 5 units.*



Ref.	Family	SubFamily
UKCR1616B	003	003154

Lithium battery 3 V CR1616.

UKCR1620B	003	003154
-----------	-----	--------

Lithium battery 3 V

UKCR1632B	003	003154
-----------	-----	--------

CR1620. Lithium battery

3 V CR1632.

** Supplied in blister packs of 5 units*



Ref.	Family	SubFamily
UKCR2016B	003	003154

Lithium battery 3 V CR2016.

UKCR2025B	003	003154
-----------	-----	--------

CR2025 3 V lithium battery.

UKCR2032B	003	003154
-----------	-----	--------

3 V lithium battery CR2032.

** Supplied in blister packs of 5 units.*



Ref.	Family	SubFamily
UKCR2430B	003	003154

Lithium battery 3 V CR2430.

UKCR2450B	003	003154
-----------	-----	--------

Lithium battery 3 V CR2450.



** Supplied in blister pack of 5 units*





Ref.	Family	SubFamily
PACR2016B	003	003154
Lithium battery 3 V CR2016.		
PACR2025B	003	003154
Lithium battery 3 V CR2025.		
PACR2032B	003	003154
Lithium battery 3 V CR2032.		

* Supplied in blister packs of 5 units.



Ref.	Family	SubFamily
PALR03B4	003	003115
1.5 V alkaline battery. LR03 (AAA).		
PALR06B4	003	003115

1.5 V alkaline battery. LR06 (AA).

* Supplied in blister pack of 4 units

Ref.	Family	SubFamily
PALR14B2	003	003115
1.5 V alkaline battery. LR14 (C).		
PALR20B2	003	003115

1,5 V alkaline battery. LR20 (D).

* Supplied in blister pack of 2 units



Ref.	Family	SubFamily
PA6LR61B	003	003161

Alkaline battery 9 V. 6LR61.

* Supplied in unit blister pack



GENERAL CONDITIONS OF SALE

APPLICABILITY AND VARIATION	176
DELIVERY AND WARRANTY	176
RETURN OF MATERIALS	176

APPLICABILITY AND VARIATION

These general terms and conditions of REMOCON SPAIN S.L. apply to all proposals, quotations, contracts and orders issued and entered into by REMOCON SPAIN S.L., and shall prevail over any terms and conditions that are referenced by any other customer document, unless expressly agreed to in writing by an authorized representative of REMOCON SPAIN S.L.

DELIVERY AND WARRANTY

In the case of the Canary Islands you can also process your order through our delegation: SISTEMAS DINÁMICOS DE GESTIÓN S.L., Avda. Los Príncipes, C.C. Los Príncipes, Local 28 (38010 Ofra - Sta. Cruz de Tenerife) Tlf: 922 640 059.

Delivery dates are estimates only and shall not be liable for damages attributable to delays or non-delivery. The customer shall inform the carrier and REMOCON SPAIN S.L. within 24 hours of any damage detected or detectable at the time of delivery.

Any return of material must be previously authorized by REMOCON SPAIN S.L. and must comply with the requirements set forth in the REMOCON SPAIN S.L. returns procedure:

- For the return of materials, these must be in perfect condition including the original packaging.
- All electronic and mechanical equipment is warranted for 24 months against manufacturing defects that alter the operation of the same, improper handling or modifications made by unauthorized personnel voids all warranties.
- In the event of a warranty claim, REMOCON SPAIN S.L. has the right to inspect the products or services.
- Products, parts or services not owned by REMOCON SPAIN S.L. shall carry the warranties provided to REMOCON SPAIN S.L. by the applicable manufacturer and/or supplier.
- In case of litigation for any type of dispute or breach of the conditions of sales, shall be subject to the jurisdiction of the courts and tribunals of Malaga.

RETURN OF MATERIALS

- No returns or claims of material will be accepted after 15 days from the date of receipt of the material. The deadlines for the return of goods under warranty will be those required by law.
- All material returns must be authorized and communicated to the commercial or technical department at the company's head office, either by telephone 952 34 06 60, by fax 952 24 26 16 or by email: tecnico@remoconsp.com, where an incident number will be assigned, which will include the details of the products to be returned. This incident document will be sent by fax or email, in order to be sent duly signed and stamped to our headquarters (REQUIRED REQUIREMENT).
- Once the signed and stamped incident is returned to our headquarters, you must prepare a package with the materials reflected in the incident, stating on the outside of it, in a place as visible as possible, the incident number assigned by the company.
- Depending on the characteristics of the return of the materials, a transport agency will be sent to pick up the material or your sales representative will be informed so that on his next visit he can pick up the merchandise.
- The sales representatives and zone delegates are not authorized to pick up any merchandise if it is not with the procedure described here.
- All materials under warranty will be repaired and shipped freight prepaid.

Any other form of shipment of materials will not be accepted by the company, and the company is not responsible for them.

We sincerely thank all our customers for their cooperation and compliance with these requirements.

With more than 30 experts at your service



CENTRAL Málaga

C/Ignacio Aldecoa nº15
P.I. Guadalhorce
29004 - Málaga
Tlf. +34 952 34 06 60

SHOP Málaga Centro

C/Alonso de Palencia nº6
29006 - Málaga
Tlf. +34 952 39 01 66

ALMACÉN Seville

Avda. de la Industria nº3
P.I. Ctra Amarilla
41007 - Sevilla
Tlf. +34 955 51 23 33

Barcelona DELEGATION

Carrer del Progrés nº45 P.I. La
Ferreria
08110 - Montcada I Reixac Tlf.
+34 935 65 07 49

WE CONNECT WITH YOU  



RemoconSP



REMOCON_SPAIN



RemoconSP



remoconsp



Technical
Dept.

678 64 32 00



info@remoconsp.com

12.000 ARTICLES AVAILABLE IN
OUR WAREHOUSES OR AT

WWW.REMOCONSP.COM